

EMERGING OBJECTS



emerging objects

Ronald Rael
CEO & Co-Founder

Virginia San Fratello
CCO and co-Founder

www.emergingobjects.com

emerging objects

is a project that became a company that began by asking a simple question.


**Can strong and inexpensive
building components be produced
using 3D printing?**


What do we do?


We've created inexpensive structural materials for powder 3D printing specifically for architecture.

We are developing methods to produce large-scale architectural assemblies using 3D printed building blocks.









emerging objects




creates materials that are

sustainable

durable

affordable


printable at architectural scales








ceramic

















sand



























cement





3D Printable Cement


- Cement is the most pervasive building material in the world
- Cement materials and methods need to transform for 3D printing


Fiber-Reinforced Cement Polymer for 3D Printing

- Expands cement's capabilities, as no formwork is required
- Allows for 'File to Fabrication' process
- Patented process
- Structural capabilities
- Typical Concrete: 3,000 psi
- **Emerging Objects Fiber-reinforced Cement Polymer: 4,700 psi**











Mass Customized Building Blocks

- developing unitized building block systems to allow for complex forms and assemblies
- using parametric software to facilitate production





rubber











CORN








wood



3D Printable Wood

- Utilize recycled wood from the construction and demolition industry
- Produce complex forms without producing waste




3D Printable Wood

- Superior Structural Strength
- Typical compressive strength of a 2 x 4 = 536 psi
- **Emerging Objects wood = 902 psi**
























paper










chocolate








salt



Local Materials

- Salt is a renewable resource
- Salt is inexpensive
- Salt is harvested through evaporation
- Structural capabilities possible








A 3D printed model of a complex mechanical assembly, possibly a microfluidic chip, is shown. The model is white and features a dense network of channels and structures. The text "ultrafine resolution" is overlaid in the center of the model.


ultrafine resolution


proof of concept


quake column































10-2

10-3




seat slug






BASE SURFACE DIMENSIONED FOR SITTING








BASE SURFACE WITH THREE DIMENSIONAL POINT DISTRIBUTION




POINT DISTRIBUTION OFFSET TO MAXIMIZE STRUCTURAL DEPTH OF INDIVIDUAL BRICKS



POINT DISTRIBUTION DIMENSIONED TO MAXIMIZE PRINT BED AND CURVATURE













saltygloo















